# SUBJECT INDEX

#### Analysis

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89, p90-107.

#### Community planning

Wheel of Misfortune: Lottery/Auction Mechanism for Siting of Noxious Facilities, Howard Kunreuther and Paul Portney, EY Dec. 91, p125-132.

#### Compensation

Wheel of Misfortune: Lottery/Auction Mechanism for Siting of Noxious Facilities, Howard Kunreuther and Paul Portney, EY Dec. 91, p125-132.

#### Compressive strength

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, Tarun R. Naik and Shiw S. Singh, EY Aug. 91, p87-96.

#### Concrete

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, Tarun R. Naik and Shiw S. Singh, EY Aug. 91, p87-96.

#### Cooling systems

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, Robert Nicholls, EY Apr. 91, p18-39.

#### Coverings

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

## Crossflow

Power Outputs of Two Stages of Cross-Flow Turbine, Abbas A. Fiuzat and Bhushan P. Akerkar, EY Aug. 91, p57-70.

#### Design

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89, p90-107.

#### Domes, structural

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, Robert Nicholls, EY Apr. 91, p18-39.

#### Drainage

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

#### Economic analysis

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, Robert Nicholls, EY Apr. 91, p18-39.

#### **Economic factors**

Phasing Down Lead in Gasoline Through Economic Instruments, Barry D. Nussbaum, EY Dec. 91, p115-124.

Wheel of Misfortune: Lottery/Auction Mechanism for Siting of Noxious Facilities, Howard Kunreuther and Paul Portney, EY Dec. 91, p125-132.

#### Efficiency

Power Outputs of Two Stages of Cross-Flow Turbine, Abbas A. Fiuzat and Bhushan P. Akerkar, EY Aug. 91, p57-70.

#### Energy development

Hennepin County Resource Recovery Facility, W. G. Schuetzenduebel and W. C. Nobles, EY Apr. 91, p1-17.

#### **Energy recovery systems**

Recycling Energy Values of Municipal Solid Waste, Edwin A. Korzun, EY Dec. 91, p133-150.

#### **Energy sources**

Recycling Energy Values of Municipal Solid Waste, Edwin A. Korzun, EY Dec. 91, p133-150

# **Environmental impacts**

Phasing Down Lead in Gasoline Through Economic Instruments, Barry D. Nussbaum, EY Dec. 91, p115-124.

Recycling Energy Values of Municipal Solid Waste, Edwin A. Korzun, EY Dec. 91, p133-150.

Risk Bureaucracies in Environmental Health and Safety Management, Rae Zimmerman, EY Dec. 91, p97-114.

### **Environmental** issues

Risk Bureaucracies in Environmental Health and Safety Management, Rae Zimmerman, EY Dec. 91, p97-114.

## **Environmental Protection Agency**

Phasing Down Lead in Gasoline Through Economic Instruments, Barry D. Nussbaum, EY Dec. 91, p115-124.

#### Filters

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

#### Elu ach

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, Tarun R. Naik and Shiw S. Singh, EY Aug. 91, p87-96.

#### Gasolin

Phasing Down Lead in Gasoline Through Economic Instruments, Barry D. Nussbaum, EY Dec. 91, p115-124.

#### Health hazards

Risk Bureaucracies in Environmental Health and Safety Management, Rae Zimmerman, EY Dec. 91, p97-114.

#### Health regulations

Risk Bureaucracies in Environmental Health and Safety Management, Rae Zimmerman, EY Dec. 91, p97-114.

### Heat exchangers

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, Robert Nicholls, EY Apr. 91, p18-39.

#### Hydraulic models

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89, p90-107.

#### Hydroelectric power

Houriy Pumped-Storage Modeling with Micro-computer, James E. Giles and Walter O. Wun-derlich, EY Apr. 91, p40-56.

#### Hydroelectric power generation

Power Outputs of Two Stages of Cross-Flow Tur-bine, Abbas A. Fiuzat and Bhushan P. Akerkar, EY Aug. 91, p57-70.

# Hydroelectric powerplants

Power Outputs of Two Stages of Cross-Flow Tur-bine, Abbas A. Fiuzat and Bhushan P. Akerkar, EY Aug. 91, p57-70.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89, p90-107.

Hennepin County Resource Recovery Facility, W. G. Schuetzenduebel and W. C. Nobles, EY Apr. 91, p1-17.

Recycling Energy Values of Municipal Solid Waste, Edwin A. Korzun, EY Dec. 91, p133-

#### Inflatable structures

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, Robert Nicholls, EY Apr. 91, p18-39.

Phasing Down Lead in Gasoline Through Economic Instrumerts, Barry D. Nussbaum, EY Dec. 91, p115-124.

## Microcomputers

Hourly Pumped-Storage Modeling with Micro-computer, James E. Giles and Walter O. Wun-derlich, EY Apr. 91, p40-56.

#### Modulus of elasticity

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, Tarun R. Naik and Shiw S. Singh, EY Aug. 91, p87-96.

### Municipal wastes

Hennepin County Resource Recovery Facility, W. G. Schuetzenduebel and W. C. Nobles, EY Apr. 91, p1-17.

Recycling Energy Values of Municipal Solid Waste, Edwin A. Korzun, EY Dec. 91, p133-150

#### Nonlinear programming

Hourly Pumped-Storage Modeling with Micro-computer, James E. Giles and Walter O. Wunderlich, EY Apr. 91, p40-56.

#### Optimization

Hourly Pumped-Storage Modeling with Micro-computer, James E. Giles and Walter O. Wun-derlich, EY Apr. 91, p40-56.

#### Performance evaluation

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, Tarun R. Naik and Shiw S. Singh, EY Aug. 91, p87-96.

Hennepin County Resource Recovery Facility, W. G. Schuetzenduebel and W. C. Nobles, EY Apr. 91, p1-17.

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, Robert Nicholls, EY Apr. 91, p18-39.

#### Pumped storage

Hourly Pumped-Storage Modeling with Micro-computer, James E. Giles and Walter O. Wun-derlich, EY Apr. 91, p40-56.

Recycling Energy Values of Municipal Solid Waste, Edwin A. Korzun, EY Dec. 91, p133-150.

#### Regulations

Phasing Down Lead in Gasoline Through Eco-nomic Instruments, Barry D. Nussbaum, EY Dec. 91, p115-124.

### Resource recovery

Hennepin County Resource Recovery Facility, W. G. Schuetzenduebel and W. C. Nobles, EY Apr. 91, p1-17.

Risk Bureaucracies in Environmental Health and Safety Management, Rae Zimmerman, EY Dec. 91, p97-114.

### Risk management

Risk Bureaucracies in Environmental Health and Safety Management, Rae Zimmerman, EY Dec. 91, p97-114.

#### Scheduling

Hourly Pumped-Storage Modeling with Micro-computer, James E. Giles and Walter O. Wun-derlich, EY Apr. 91, p40-56.

Wheel of Misfortune: Lottery/Auction Mechanism for Siting of Noxious Facilities, Howard Kunreuther and Paul Portney, EY Dec. 91, p125-132.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89, p90-107.

#### Surface waters

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

## Tailings

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

## Tensile strength

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, Tarun R. Naik and Shiw S. Singh, EY Aug. 91, p87-96.

#### Tests

Power Outputs of Two Stages of Cross-Flow Turbine, Abbas A. Fiuzat and Bhushan P. Akerkar, EY Aug. 91, p57-70.

#### Turbines

Power Outputs of Two Stages of Cross-Flow Turbine, Abbas A. Fiuzat and Bhushan P. Akerkar, EY Aug. 91, p57-70.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89, p90-107.

#### Liranium

Refined Cap Design for Uranium Tailings-Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.

# Waste processing facilities

Wheel of Misfortune: Lottery/Auction Mechanism for Siting of Noxious Facilities, Howard Kunreuther and Paul Portney, EY Dec. 91, p125-132.

### Waste utilization

Hennepin County Resource Recovery Facility, W. G. Schuetzenduebel and W. C. Nobles, EY Apr. 91, p1-17.

#### Water flow

Refined Cap Design for Uranium Tailings Sites, Steven R. Abt, Kyle M. High and John M. McBee, EY Aug. 91, p71-86.



# AUTHOR INDEX

Abt, Steven R. Refined Cap Design for Uranium Tailings Sites, with Kyle M. High and John M. McBee, EY Aug. 91, p71-86

Akerkar, Bhushen P. see Fiuzat, Abbas A., EY Aug. 91, p57-70

Arndt, Roger E. A. disc. (of Submergence Factors for Hydraulic Tur-bines, by J. L. Gordon, EY Aug. 89, p90-107), EY Dec. 91, p152-153

Fluzat, Abbas A. Power Outputs of Two Stages of Cross-Flow Tur-bine, with Bhushan P. Akerkar, EY Aug. 91, p57-70

Giles, James E. Hourly Pumped-Storage Modeling with Micro-computer, with Walter O. Wunderlich, EY Apr. 91, p40-56

Gordon, J. L.

Submergence Factors for Hydraulic Turbines, EY Aug. 89, p90-107 disc: Roger E. A. Arndt, EY Dec. 91, p152-153

clo: EY Dec. 91, p153

High, Kyle M.

see Abt, Steven R., EY Aug. 91, p71-86

Korzun, Edwin A.

Recycling Energy Values of Municipal Solid Waste, EY Dec. 91, p133-150

Kunreuther, Howard
Wheel of Misfortune: Lottery/Auction Mechanism for Siting of Noxious Facilities, with Paul
Portney, EY Dec. 91, p125-132

McBee, John M. see Abt, Steven R., EY Aug. 91, p71-86

Naik, Tarun R.

Superplasticized Structural Concrete Containing High Volume of Class C Fly Ash, with Shiw S. Singh, EY Aug. 91, p87-96

Nicholls, Robert

Model Tests and Economics of Inflated Evaporative Fabric Cooling Domes, EY Apr. 91, p18-

Nobles, W. C. see Schuetzenduebel, W. G., EY Apr. 91, p1-17

Nussbaum, Barry D. Phasing Down Lead in Gasoline Through Eco-nomic Instruments, EY Dec. 91, p115-124

Portney, Paul

see Kunreuther, Howard, EY Dec. 91, p125-132

Schuetzenduebel, W. G.

Hennepin County Resource Recovery Facility, with W. C. Nobles, EY Apr. 91, p1-17

Singh, Shiw S. see Naik, Tarun R., EY Aug. 91, p87-96

Wunderlich, Walter O. see Giles, James E., EY Apr. 91, p40-56

Risk Bureaucracies in Environmental Health and Safety Management, EY Dec. 91, p97-114